

# PMAX-0101



Mount Kit for all Dome Cameras (except Mini Domes)

## ► Specifications

### Device

Product Type	Camera Mount
Application Environment	Indoor/Outdoor
Description	Mount Kit for all Dome Cameras (except Mini Domes)

### General

















Weight	614g (1.35lb)
Dimensions	(Ø x H): 152mm x 74mm (5.99" x 2.92")
Material	Aluminum
Color	Warm Gray
Warranty	1 Year(s). For extended warranty offering, see <a href="http://www.acti.com/support/warranty">http://www.acti.com/support/warranty</a>



## ► Ordering Information

SMA-0013	Corner Mount with Gooseneck, Extension Tube and Mount Kit for all Dome Cameras (except Mini Domes) (PMA-0402 + PMA-0303 + PMA-0104 + PMA-0101)
SMA-0061	Gooseneck with Extension Tube and Mount Kit for all Dome Cameras (except Mini Domes) (PMA-0303 + PMA-0104 + PMA-0101)







## ► Related Products






### Dome - Dome

B51		5MP Indoor Dome with D/N, Adaptive IR, Basic WDR, Fixed lens, f1.9mm/F2.8 (HOV:129.56° (overview area), 79° (high detail area)), H.264, 1080p/30fps, DNR, Audio, MicroSDHC/MicroSDXC, PoE/DC12V, IK09, DI/DO
B53		3MP Indoor Dome with D/N, Adaptive IR, Superior WDR, Fixed lens, f1.9mm/F2.8 (HOV:129.56° (overview area), 79° (high detail area)), H.264, 1080p/30fps, DNR, Audio, MicroSDHC/MicroSDXC, PoE/DC12V, IK09, DI/DO
D52		3MP Indoor Dome with Fixed lens, f3.6mm/F2.0 (HOV:70.8°), H.264, 1080p/30fps, DNR, PoE
E51		1MP Indoor Dome with Basic WDR, Fixed lens, f2.8mm/F2.0 (HOV:77.5°), H.264, 720p/30fps, DNR, PoE
E54		5MP Indoor Dome with D/N, Adaptive IR, Basic WDR, Fixed lens, f3.6mm/F1.8 (HOV:72°), H.264, 1080p/30fps, DNR, PoE
E56		3MP Indoor Dome with D/N, Adaptive IR, Superior WDR, Fixed lens, f2.93mm/F2.0 (HOV:85.7°), H.264, 1080p/30fps, DNR, PoE
E58		2MP Indoor Dome with D/N, Adaptive IR, Basic WDR, SLLS, Fixed lens, f3.6mm/F1.85 (HOV:87.5°), H.264, 1080p/30fps, DNR, PoE
E59		10MP Indoor Dome with D/N, Adaptive IR, Basic WDR, Fixed lens, f3.6mm/F1.8 (HOV:101.4°), H.264, 1080p/30fps, DNR, PoE
E610		10MP Indoor Dome with D/N, Adaptive IR, Basic WDR, Vari-focal lens, f3.1-13.3mm/F1.4-4.0 (HOV:100.5°-25.8°), H.264, 1080p/30fps, DNR, Audio, MicroSDHC/MicroSDXC, PoE, IK09, DI/DO
E63A		5MP Indoor Dome with D/N, Adaptive IR, Basic WDR, Vari-focal lens, f2.8-12mm/F1.4 (HOV:66.62°-28.88°), H.264, 1080p/30fps, DNR, Audio, MicroSDHC/MicroSDXC, PoE, IK09, DI/DO
E64		1MP Indoor Dome with D/N, Adaptive IR, Superior WDR, Vari-focal lens, f2.8-12mm/F1.4 (HOV:60.1°-24.3°), H.264, 720p/30fps, DNR, MicroSDHC/MicroSDXC, PoE, IK09
E67		2MP Indoor Dome with Basic WDR, SLLS, Vari-focal lens
E69		2MP Indoor Dome with D/N, Adaptive IR, Basic WDR, SLLS, Vari-focal lens, f2.8-12mm/F1.4 (HOV:92.5°-35.9°), H.264, 1080p/30fps, DNR, Audio, MicroSDHC/MicroSDXC, PoE, IK09, DI/DO
B71		3MP Video Analytics Outdoor Dome with D/N, Adaptive IR, Extreme WDR, SLLS, Fixed lens, f3.6mm/F1.2 (HOV:81.7°), H.264, 1080p/60fps, 2D+3D DNR, Built-in Microphone, MicroSDHC/MicroSDXC, PoE/DC12V, IP68, IK10, IEC60571, DI/DO, Built-in Analytics
D71A		1MP Outdoor Dome with D/N, Adaptive IR, Fixed lens, f2.93mm/F2.0 (HOV:72°), H.264, 720p/30fps, DNR, Audio, MicroSDHC/MicroSDXC, PoE, IP67, IK10, DI/DO
D72		3MP Outdoor Dome with D/N, Adaptive IR, Fixed lens
D82		3MP Outdoor Dome with D/N, Adaptive IR, Vari-focal lens, f2.8-12mm/F1.4 (HOV:70.5°-28.2°), H.264, 1080p/30fps, DNR, MicroSDHC/MicroSDXC, PoE, IP67, IK10




E71		1MP Outdoor Dome with D/N, Adaptive IR, Basic WDR, Fixed lens, f2.93mm/F2.0 (HOV:72°), H.264, 720p/30fps, DNR, MicroSDHC/MicroSDXC, PoE, IP67, IK10
E73A		5MP Outdoor Dome with D/N, Adaptive IR, Basic WDR, Fixed lens, f2.93mm/F2.0 (HOV:82.3°), H.264, 1080p/30fps, DNR, Audio, MicroSDHC/MicroSDXC, PoE, IP67, IK10, DI/DO
E77		10MP Outdoor Dome with D/N, Adaptive IR, Basic WDR, Fixed lens, f3.6mm/F1.8 (HOV:101.4°), H.264, 1080p/30fps, DNR, Audio, MicroSDHC/MicroSDXC, PoE, IP67, IK10, DI/DO
E82		3MP Outdoor Dome with D/N, Adaptive IR, Basic WDR, Vari-focal lens, f2.8-12mm/F1.4 (HOV:70.5°-28.2°), H.264, 1080p/30fps, DNR, MicroSDHC/MicroSDXC, PoE, IP67, IK10
E83		5MP Outdoor Dome with D/N, Adaptive IR, Basic WDR, Vari-focal lens, f2.8-12mm/F1.4 (HOV:69.2°-28.2°), H.264, 1080p/30fps, DNR, MicroSDHC/MicroSDXC, PoE, IP67, IK10
E83A		5MP Outdoor Dome with D/N, Adaptive IR, Basic WDR, Vari-focal lens, f2.8-12mm/F1.4 (HOV:69.2°-28.2°), H.264, 1080p/30fps, DNR, Audio, MicroSDHC/MicroSDXC, PoE, IP67, IK10, DI/DO
E84		2MP Outdoor Dome with D/N, Adaptive IR, Basic WDR, SLLS, Vari-focal lens, f2.8-12mm/F1.4 (HOV:92.5°-35.9°), H.264, 1080p/30fps, DNR, MicroSDHC/MicroSDXC, PoE, IP67, IK10
E85		1MP Outdoor Dome with D/N, Adaptive IR, Superior WDR, Vari-focal lens, f2.8-12mm/F1.4 (HOV:60.1°-24.3°), H.264, 720p/30fps, DNR, MicroSDHC/MicroSDXC, PoE, IP67, IK10
E86		3MP Outdoor Dome with D/N, Adaptive IR, Superior WDR, Vari-focal lens, f2.8-12mm/F1.4 (HOV:70.5°-28.8°), H.264, 1080p/30fps, DNR, MicroSDHC/MicroSDXC, PoE, IP67, IK10
E88		1.3MP Outdoor Dome with D/N, Adaptive IR, Basic WDR, SLLS, Vari-focal lens, f2.8-12mm/F1.4 (HOV:83°-31.1°), H.264, 720p/60fps, DNR, Audio, MicroSDHC/MicroSDXC, PoE, IP67, IK10, DI/DO
KCM-7111		4MP Outdoor Dome with D/N, Basic WDR, Fixed lens, f2.8mm/F2.0 (HOV:82.6°), H.264, 1080p/15fps, DNR, Audio, MicroSDHC, PoE/DC12V, IP67, Vandal Proof, DI/DO

**Dome - Zoom Dome**







B64		1.3MP Indoor Zoom Dome with D/N, Adaptive IR, Basic WDR, SLLS, 3x Zoom lens, f3-9mm/F1.2-2.1 (HOV:90.6°-31.8°), DC iris, Auto Focus, H.264, 720p/60fps, DNR, Audio, MicroSDHC/MicroSDXC, PoE/DC12V, IK09, DI/DO
E618		3MP Indoor Zoom Dome with D/N, Adaptive IR, Superior WDR, 4.3x Zoom lens, f3.1-13.3mm/F1.4-4.0 (HOV:64.4°-26.4°), P-Iris, Auto Focus (for installation), H.264, 1080p/30fps, 2D+3D DNR, Audio, MicroSDHC/MicroSDXC, PoE, IK09, DI/DO
B81		5MP Outdoor Zoom Dome with D/N, Adaptive IR, Basic WDR, 3x Zoom lens, f3-9mm/F1.2-2.1 (HOV:85.7°-30.5°), DC iris, Auto Focus, H.264, 1080p/30fps, DNR, Audio, MicroSDHC/MicroSDXC, PoE/DC12V, IP67, IK10, DI/DO
B82		5MP Outdoor Zoom Dome with D/N, Adaptive IR, Basic WDR, 2.4x Zoom lens, 9-22mm/F1.6-2.3 (HOV:29.5°-13°), DC iris, Auto Focus, H.264, 1080p/30fps, 2D+3D DNR, Audio, MicroSDHC/MicroSDXC, PoE/DC12V, IP67, IK10, DI/DO
B83		2MP Video Analytics Outdoor Zoom Dome with D/N, Adaptive IR, Extreme WDR, SLLS, 3x Zoom lens, f3-9mm/F1.3-2.2 (HOV:102.1°-36°), DC iris, Auto Focus, H.264, 1080p/60fps, 2D+3D DNR, Audio, MicroSDHC/MicroSDXC, PoE/DC12V, IP67, IK10, DI/DO, Built-in Analytics
B84		1.3MP Outdoor Zoom Dome with D/N, Adaptive IR, Basic WDR, SLLS, 3x Zoom lens, 3-9mm/F1.2-2.1 (HOV:90.6°-31.8°), DC iris, Auto Focus, H.264, 720p/60fps, DNR, Audio, MicroSDHC/MicroSDXC, PoE/DC12V, IP67, IK10, DI/DO


B85		2MP Outdoor Zoom Dome with D/N, Adaptive IR, Basic WDR, SLLS, 3x Zoom lens, 3-9mm/F1.2-2.1 (HOV:103.6°-36.2°), DC iris, Auto Focus, H.264, 1080p/30fps, DNR, Audio, MicroSDHC/MicroSDXC, PoE/DC12V, IP67, IK10, DI/DO
E815		5MP Outdoor Zoom Dome with D/N, Adaptive IR, Basic WDR, 4.3x Zoom lens, f3.1-13.3mm/F1.4-4.0 (HOV:64.74°-25.8°), P-Iris, Auto Focus (for installation), H.264, 1080p/30fps, 2D+3D DNR, Audio, MicroSDHC/MicroSDXC, PoE, IP67, IK10, DI/DO
E816		10MP Outdoor Zoom Dome with D/N, Adaptive IR, Basic WDR, 4.3x Zoom lens, f3.1-13.3mm/F1.4-4.0 (HOV:90.6°-34.3°), P-Iris, Auto Focus (for installation), H.264, 1080p/30fps, 2D+3D DNR, Audio, MicroSDHC/MicroSDXC, PoE, IP67, IK10, DI/DO
E817		3MP Outdoor Zoom Dome with D/N, Adaptive IR, Superior WDR, 4.3x Zoom lens, f3.1-13.3mm/F1.4-4.0 (HOV:64.4°-26.4°), P-Iris, Auto Focus (for installation), H.264, 1080p/30fps, 2D+3D DNR, Audio, MicroSDHC/MicroSDXC, PoE, IP67, IK10, DI/DO
KCM-7311		4MP Outdoor Dome with D/N, Advanced WDR, SLLS, 3.6x Zoom lens, f3.3-12mm/F1.4-2.9 (HOV:77.2°-22.6°), P-Iris, Auto Focus, H.264, 1080p/15fps, 2D+3D DNR, Audio, MicroSDHC, PoE/DC12V, IP67, Vandal Proof, DI/DO

### Dome - Fisheye Dome







B54		5MP Indoor Fisheye Dome with D/N, Basic WDR, Fixed lens, f1.19mm/F2.0 (HOV:189.7° (overview area), 115.7° (high detail area)), H.264, DNR, Audio, MicroSDHC/MicroSDXC, PoE/DC12V, DI/DO
B55		10MP Indoor Fisheye Dome with D/N, Basic WDR, Fixed lens, f1.37mm/F2.0 (HOV:187.7° (overview area), 114.5° (high detail area)), H.264, DNR, Audio, MicroSDHC/MicroSDXC, PoE/DC12V, DI/DO
B56		3MP Indoor Fisheye Dome with D/N, Superior WDR, Fixed lens, f1.19mm/F2.0 (HOV:189.7° (overview area), 115.7° (high detail area)), H.264, DNR, Audio, MicroSDHC/MicroSDXC, PoE/DC12V, DI/DO

### Dome - Hemispheric Dome

B511A		12MP Video Analytics Indoor Hemispheric Dome with D/N, Adaptive IR, Extreme WDR, SLLS, Fixed lens, f1.65mm/F2.8 (HOV:198.5° (overview area), 121.1° (high detail area)), H.264, Dewarping, 2D+3D DNR, Built-in Microphone, MicroSDHC/MicroSDXC, PoE/DC12V, DI/DO, Built-in Analytics
B57		6MP Video Analytics Indoor Hemispheric Dome with D/N, Adaptive IR, Extreme WDR, SLLS, Fixed lens, f1.3mm/F2.6 (HOV:187°), H.264, Dewarping, 2D+3D DNR, Audio, MicroSDHC/MicroSDXC, PoE/DC12V, DI/DO, Built-in Analytics
I51		5MP Indoor Hemispheric Dome with D/N, Advanced WDR, SLLS, Fixed lens, f1.05mm/F2.8 (HOV:180° (overview area), 109.8° (high detail area)), H.264, Dewarping, 2D+3D DNR, Audio, MicroSDHC/MicroSDXC, PoE/DC12V, DI/DO
Q51		2MP Heat Map Indoor Hemispheric Dome with D/N, Adaptive IR, Extreme WDR, SLLS, Fixed lens, f1.3mm/F2.6 (HOV:171°), H.264, Dewarping, 2D+3D DNR, Built-in Microphone, MicroSDHC/MicroSDXC, PoE/DC12V, DI/DO, Built-in Analytics
B76A		12MP Video Analytics Outdoor Hemispheric Dome with D/N, Adaptive IR, Extreme WDR, SLLS, Fixed lens, f1.65mm/F2.8 (HOV:198.5° (overview area), 121.1° (high detail area)), H.264, Dewarping, 2D+3D DNR, Built-in Microphone, MicroSDHC/MicroSDXC, PoE/DC12V, IP68, IK10, DI/DO, Built-in Analytics
B78		12MP Video Analytics Outdoor Hemispheric Dome with D/N, Adaptive IR, Extreme WDR, SLLS, Fixed lens, f1.65mm/F2.8 (HOV:198.5° (overview area), 121.1° (high detail area)), H.265/H.264, Dewarping, 2D+3D DNR, Built-in Microphone, MicroSDHC/MicroSDXC, PoE/DC12V, IP68, IK10, DI/DO, Built-in Analytics

I71		5MP Outdoor Hemispheric Dome with D/N, Advanced WDR, SLLS, Fixed lens, f1.05mm/F2.8 (HOV:189.7° (overview area), 115.7° (high detail area)), H.264, Dewarping, 2D+3D DNR, Audio, MicroSDHC/MicroSDXC, PoE/DC12V, IP68, IK10, DI/DO
-----	---	--

**PTZ - Mini PTZ**

B910		4MP Outdoor Mini PTZ with D/N, Basic WDR, 10x Zoom lens, f4.9-49mm/F1.6-3.0 (HOV:54.13°-6.65°), DC iris, Auto Focus, H.264, 1080p/30fps, 2D+3D DNR, Audio, MicroSDHC/MicroSDXC, PoE/DC12V, IP67, IK10, DI/DO
B911		3MP Video Analytics Outdoor Mini PTZ with D/N, Extreme WDR, SLLS, 10x Zoom lens, f4.7-47mm/F1.6-3.0 (HOV:58°-5.8°), DC iris, Auto Focus, H.265/H.264, 1080p/60fps, 2D+3D DNR, Audio, MicroSDHC/MicroSDXC, PoE/DC12V, IP67, IK10, DI/DO, Built-in Analytics
B912		5MP Video Analytics Outdoor Mini PTZ with D/N, Extreme WDR, SLLS, 10x Zoom lens, f4.7-47mm/F1.6-3.0 (HOV:50.67°-5.14°), DC iris, Auto Focus, H.265/H.264, 1080p/30fps, 2D+3D DNR, Audio, MicroSDHC/MicroSDXC, PoE/DC12V, IP67, IK10, DI/DO, Built-in Analytics
B95A		2MP Outdoor Mini PTZ with D/N, Basic WDR, SLLS, 10x Zoom lens, f4.9-49mm/F1.6-3.0 (HOV:57.8°-6.9°), DC iris, Auto Focus, H.264, 1080p/30fps, 2D+3D DNR, Audio, MicroSDHC/MicroSDXC, PoE/DC12V, IP67, IK10, DI/DO
B96		5MP Outdoor Mini PTZ with D/N, Basic WDR, 10x Zoom lens, f4.9-49mm/F1.8-3.0 (HOV:49.7°-5.8°), DC iris, Auto Focus, H.264, 1080p/30fps, DNR, Audio, MicroSDHC/MicroSDXC, PoE/DC12V, IP67, IK10, DI/DO
B96A		5MP Outdoor Mini PTZ with D/N, Basic WDR, 10x Zoom lens, f4.9-49mm/F1.8-3.0 (HOV:49.7°-5.8°), DC iris, Auto Focus, H.264, 1080p/30fps, 2D+3D DNR, Audio, MicroSDHC/MicroSDXC, PoE/DC12V, IP67, IK10, DI/DO