### CD 40X60 - Cable duct

#### 3240192

https://www.phoenixcontact.com/in/products/3240192



Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.



Cable duct for installation and mounting in control cabinets, gray, comprising upper part and mounting base, width: 40 mm, height: 60 mm, length: 2000 mm

### Your advantages

- · Predetermined breaking point enables tool-free, burr-free removal of bars
- Thanks to its leverage and special cutting geometry, the PPS CD cable duct cutter enables easy, burr-free cutting with minimum effort
- · Easy, burr-free cutting with minimum effort using the CUTFOX-CD cable duct cutter
- · The wide, diagonal heads of the cable duct bars make it easy to fit the cover and hold it securely in place
- · Installed conductors are securely held in place by means of wire retaining clips that can be snapped onto bars on the side
- Plastic body-bound rivets enable easy fixing of cable ducts using the rivet setting tool

### **Commercial Data**

Item number	3240192
Packing unit	20 pc
Minimum order quantity	20 pc
Sales Key	BE7
Product Key	BE7431
Catalog Page	Page 581 (C-3-2019)
GTIN	4046356459150
Weight per Piece (including packing)	900 g
Weight per Piece (excluding packing)	900 g
Customs tariff number	39259020
Country of origin	DE

# CD 40X60 - Cable duct

3240192

https://www.phoenixcontact.com/in/products/3240192



### Technical Data

Product type	Wiring duct
nnection data	
Nominal cross section	1404 mm <sup>2</sup>
nensions	
Dimensional drawing	
Width	40 mm
Height	60 mm
Length	2000 mm
terial specifications	
Color	gray
Material	PVC
Flammability rating according to UL 94	VO
Components	Lead-free

#### Cable/line

Halogen-free	no
Halogen-free	no

#### Environmental and real-life conditions

#### Ambient conditions


Ambient temperature (operation) -5 °C 60 °C
---

## CD 40X60 - Cable duct

3240192

https://www.phoenixcontact.com/in/products/3240192

### Drawings



Base perforation according to DIN EN 50085

Phoenix Contact 2023 © - all rights reserved https://www.phoenixcontact.com

PHOENIX CONTACT (I) Pvt. Ltd. A-58/2, Okhla Industrial Area, Phase - II, New Delhi-110 020

+91.1275.71420 info@phoenixcontact.co.in

