

Saginaw Control and Engineering 95 Midland Road Saginaw, MI 48638-5770 (800) 234-6871 - Fax: (989) 799-4524 SCE@SaginawControl.com





Construction

- Cast aluminum couplings. ¢.
- Extruded aluminum tubes (6060T66). ø
- Rotating couplings have adjustable tensioner brakes to control movement ø while in use.
- Rigid, durable bearing in all rotating couplings withstand the stress of Ф continuous use.
- Open or closed tube design. Ф
- Open tube allows for easy access to lay in wiring, with easy to install Ф push fit rubber cover.
- Closed tube acts as conduit for feeding wiring. ò
- Removable access covers on all couplings with 90 degree turn. Ф
- Hardware and gasket included for installation of coupling to tube. ø

Application

Designed for use with the SCE HMI enclosures, allows operators to easily move or position an HMI to an ergonomic and comfortable working position. Made of heavy-duty, reliable construction. Suspension Systems can be assembled in a multitude of configurations that allow for machine mount, wall mount, top mount, and floor mount options.

Finish

RAL 7035 powder coated finish.

*Suspension System parts cannot be custom painted

Industry Standards - (IS17)

- NEMA Not Applicable UL Not Applicable ٥
- Ф CSA N/A ø

Notes

*Suspension System parts cannot be custom painted

SCE-SA20T

Product Specifications:

Part Number: SCE-SA20T Description: Open Tube Suspension Profile Height: 19.69" Width: 2.56" Depth: 3.54" Disc Code: C2 Price Code: C3 List Price: \$134.37 Catalog Page: 52 Est. Ship Weight: 6.61 lbs

Similar Part Numbers

SCE-SA08TCClosed Tube Suspension Profile SCE-SA081CClosed Tube Suspension Profile SCE-SA10TOpen Tube Suspension Profile SCE-SA20TCClosed Tube Suspension Profile SCE-SA230WHWall Hinge, 230 Swivel SCE-SA30TOpen Tube Suspension Profile SCE-SA30TCClosed Tube Suspension Profile SCE-SA310UIntermediate Joint, 310 Swivel SCE-SA310IJDIntermediate Joint, 310 Swivel Down Drop

Installation Information

- SA Suspension System Ф
- Suspension System Counter Balance Configurations ø
- SCE-SAMM ø